

MENTO

Your link to improved performance

Rig Floor Safety Rigmate® Anti-Slip Drill Floor Safety Mats





SCOTGRIP® INTERNATIONAL HD Rigmatem® is a heavy duty, high traction anti-slip polyurethane rubber mat for use on drill floor rotary areas. Our unique Pyragrip® anti-slip safety surface is fully integrated with our substrate; steel pins are not necessary in our products.

Tough, durable and resilient to match the drilling environment, this product provides excellent traction with easy drainage of drilling fluids. It has been extensively tested with drilling fluids, oil-based drilling fluids, water, salt water, oil and kerosene with it maintaining high traction and showing no wear or absorption of the chemicals. Our Rigmatem® mats are supplied with 2-way drainage channels as standard which have been moulded directly into the product substrate.

Designed for quick and secure fitting, our Rigmatem® mats can also be cut/shaped on site due to the fully integrated construction of the matting.

- ELIMINATES 'SLIPS AND TRIPS'
- COST EFFECTIVE
- HIGH TRACTION
- TOUGH AND DURABLE
- EASY INSTALLATION
- FULLY GUARANTEED
- NON CORROSIVE
- REFLECTS POSITIVELY ON PERSONNEL PERFORMANCE
- CAN BE CUT/SHAPED ONSITE
- MANUFACTURED TO ANY SHAPE OR SIZE
- CARBON NEUTRAL ACCREDITED
- FIRE RESISTANT



PRODUCT DESCRIPTION

Rigmate® Drill Floor Mats

CODE

SRM

PRODUCT SPECIFICATIONS

Tensile Strength	26MPa
Tear Strength	85kN/m
Hardness	95 Shore A rating
Weight	25 kg/m ² (5.2lb/ft ²)
Standard Thickness	29mm (1 1/8" approx.)

SAFETY MESSAGES/INFORMATION

Safety messages can be of any description and can incorporate your company logo.



CONNECTING RIGMATE® MATS

Rigmate® polyurethane drill floor matting can be connected with dovetail joints and straight edges.



> HIGH-TRACTION ANTI-SLIP

Our Pyragrip® anti-slip safety surface is fully integrated with the Rigmate® drill floor matting substrate and will provide a sound foot holding even in the most extreme conditions. Steel pins are not necessary in our products.

> HIGHLY VISIBLE

Colour coded in a wide range of colour schemes to suit individual locations. Colour codes are: Safety yellow, red, black & green. Other colours available – please ask.

> HEAVY DUTY

Rigmate® polyurethane drill floor matting is extremely durable and will remain highly effective for many years.

> MANUFACTURED TO CUSTOMER SPECIFICATION

Rigmate® polyurethane drill floor matting is manufactured to suit individual locations. Please send a sketch or photo and we will get back to you with details.

> SAFETY MESSAGES/INFORMATION

Safety messages are proven to be an effective method of warning personnel of any hazards/hazardous areas they may be exposed to. Safety messages can be of any description and can even incorporate your company logo.

> EASE OF INSTALLATION

Rigmate® polyurethane drill floor matting is designed for quick and secure fitting; it can be simply placed on top of the existing surface. Scotgrip® International products are non-load bearing and must have a suitable underlying structure to be secured to.

> QUALITY – IT'S WHAT DRIVES US

All SCOTGRIP® INTERNATIONAL HD/UHD safety products are manufactured under BS EN ISO 9001:2015 quality-controlled conditions using highly compatible raw materials at our manufacturing facility in Aberdeenshire, UK.

> OUR SUSTAINABILITY COMMITMENT

At SCOTGRIP® INTERNATIONAL, we're really proud to have achieved carbon neutral status and we're proactively moving towards our target of zero waste. Our environmental ethos extends to everything we do, including our product innovation. Our Rigmate® drill floor matting features raw materials that are 16% fully circular which allows us to reduce our environmental impact further.

Contact Mento for more information

MENTO

Your link to improved performance

STAVANGER • BERGEN • HAMMERFEST
+47 48 11 03 00 • 24h +47 90 19 51 55 • post@mento.no • mento.no