

# High Pressure Fittings

# 14.4

• Visual Index 10,000 Psi Fittings	14.4-1
• Hex Nipples	14.4-2
• Hex Nipples - Couplings - Cross	14.4-3
• Reducers - Tees - Elbows	14.4-4
• Fittings Elbows - Swivels	14.4-5
• Plugs - Caps - Tees	14.4-6































Other types on request

15,000 PSI and 20,000 PSI on request.

Some parts in stock.

# 10,000 Psi Fittings 316 SS

Manufacturing Procedures Conform to BS-EN-ISO 9001-2000. Full Material Traceability

				
Page 2	Page 2	Page 2	Page 2	Page 3
<b>JHN10K</b>	<b>HC10K</b>	<b>FC10K</b>	<b>FMA10K</b>	<b>FT10K-BK</b>
				
Page 3	Page 3	Page 3	Page 4	Page 4
<b>FT10K-FG</b>	<b>MT10K-BK</b>	<b>MT10K-FG</b>	<b>FE10K-BK</b>	<b>FE10K-FG</b>
				
Page	Page 4	Page 4	Page 4	Page 4
<b>FFSE10K-FG</b>	<b>ME10K-BK</b>	<b>ME10K-FG</b>	<b>NJME10K-FG</b>	<b>JME10K-FG</b>
				
Page 5	Page 5	Page 5	Page 5	Page 5
<b>NJMFS10K</b>	<b>JFFS10K</b>	<b>JMFS10K</b>	<b>HP10K</b>	<b>BHP10K</b>
				
Page 5	Page 5	Page 5	Page 6	Page 6
<b>JHP10K</b>	<b>PC10K</b>	<b>JPC10K</b>	<b>BPC10K</b>	<b>BFST10K</b>
				
Page 6	Page 6	Page 6	Page 6	Page 6

# 10,000 Psi Fittings 316 SS



**NPT Male x Male  
Hexagon Barstock Nipples  
HN10K**

Thread Size	Part Number	HEX A/F	A Ins.
1/8" x 1/8"	2-2 HN10K-SS	7/16"	1.06
1/4" x 1/8"	4-2 HN10K-SS	5/8"	1.22
1/4" x 1/4"	4-4 HN10K-SS	5/8"	1.45
3/8" x 1/8"	6-2 HN10K-SS	3/4"	1.27
3/8" x 1/4"	6-4 HN10K-SS	3/4"	1.45
3/8" x 3/8"	6-6 HN10K-SS	3/4"	1.45
1/2" x 1/8"	8-2 HN10K-SS	7/8"	1.52
1/2" x 1/4"	8-4 HN10K-SS	7/8"	1.70
1/2" x 3/8"	8-6 HN10K-SS	7/8"	1.70
1/2" x 1/2"	8-8 HN10K-SS	7/8"	1.89
3/4" x 1/4"	12-4 HN10K-SS	1 1/8"	1.73
3/4" x 3/8"	12-6 HN10K-SS	1 1/8"	1.73
3/4" x 1/2"	12-8 HN10K-SS	1 1/8"	1.97
3/4" x 3/4"	12-12 HN10K-SS	1 1/8"	1.96
1" x 1/4"	16-4 HN10K-SS	1 3/8"	1.92
1" x 3/8"	16-6 HN10K-SS	1 3/8"	1.92
1" x 1/2"	16-8 HN10K-SS	1 3/8"	2.11
1" x 3/4"	16-12 HN10K-SS	1 3/8"	2.34
1" x 1"	16-16 HN10K-SS	1 3/8"	2.53



**NPT Male x Male Hexagon  
Extended Barstock Nipples  
HLN10K**

Thread Size	Part Number	HEX A/F	A Ins.
1/8" x 1/8"	2-2 HLN10K-SS 3"	7/16"	3.00
1/4" x 1/4"	4-4 HLN10K-SS 3"	5/8"	3.00
1/4" x 1/4"	4-4 HLN10K-SS 4"	5/8"	4.00
1/4" x 1/4"	4-4 HLN10K-SS 6"	5/8"	6.00
3/8" x 3/8"	6-6 HLN10K-SS 3"	3/4"	3.00
3/8" x 3/8"	6-6 HLN10K-SS 4"	3/4"	4.00
3/8" x 3/8"	6-6 HLN10K-SS 6"	3/4"	6.00
1/2" x 1/2"	8-8 HLN10K-SS 3"	7/8"	3.00
1/2" x 1/2"	8-8 HLN10K-SS 4"	7/8"	4.00
1/2" x 1/2"	8-8 HLN10K-SS 6"	7/8"	6.00



**BSPP Male x Male 60° Cone  
Hexagon Barstock Nipples  
BHN10K**


Thread Size	Part Number	HEX A/F	A Ins.
1/8" x 1/8"	B2-2 HN10K-SS	9/16"	1.17
1/4" x 1/8"	B4-2 HN10K-SS	3/4"	1.22
1/4" x 1/4"	B4-4 HN10K-SS	3/4"	1.27
3/8" x 1/4"	B6-4 HN10K-SS	7/8"	1.34
3/8" x 3/8"	B6-6 HN10K-SS	7/8"	1.41
1/2" x 1/4"	B8-4 HN10K-SS	1 1/16"	1.50
1/2" x 3/8"	B8-6 HN10K-SS	1 1/16"	1.57
1/2" x 1/2"	B8-8 HN10K-SS	1 1/16"	1.63
3/4" x 1/2"	B12-8 HN10K-SS	1 1/4"	1.81
3/4" x 3/4"	B12-12 HN10K-SS	1 1/4"	1.91
1" x 3/4"	B16-12 HN10K-SS	1 5/8"	2.12
1" x 1"	B16-16 HN10K-SS	1 5/8"	2.18



**BSPP Male 60° Cone x NPT Male  
Hexagon Barstock Nipples  
BNHN10K**

Thread Size	Thread Size A/F	Part Number	HEX	A
1/8" BSPP x 1/8"	NPT BN2-2	HN10K-SS	9/16"	1.17
1/8" BSPP x 1/4"	NPT BN2-4	HN10K-SS	5/8"	1.32
1/4" BSPP x 1/8"	NPT BN4-2	HN10K-SS	3/4"	1.17
1/4" BSPP x 1/4"	NPT BN4-4	HN10K-SS	3/4"	1.35
1/4" BSPP x 3/8"	NPT BN4-6	HN10K-SS	3/4"	1.35
1/4" BSPP x 1/2"	NPT BN4-8	HN10K-SS	7/8	1.57
3/8" BSPP x 1/4"	NPT BN6-4	HN10K-SS	1/8"	1.42
3/8" BSPP x 3/8"	NPT BN6-6	HN10K-SS	7/8"	1.42
3/8" BSPP x 1/2"	NPT BN6-8	HN10K-SS	7/8"	1.64
1/2" BSPP x 3/8"	NPT BN8-6	HN10K-SS	1 1/8"	1.58
1/2" BSPP x 1/2"	NPT BN8-8	HN10K-SS	1 1/8"	1.70
1/2" BSPP x 3/4"	NPT BN8-12	HN10K-SS	1 1/8"	1.84
3/4" BSPP x 1/2"	NPT BN12-8	HN10K-SS	1 1/4"	1.95
3/4" BSPP x 3/4"	NPT BN12-12	HN10K-SS	1 1/4"	1.95
3/4" BSPP x 1"	NPT BN12-16	HN10K-SS	1 3/8"	2.34
1" BSPP x 3/4"	NPT BN16-12	HN10K-SS	1 5/8"	2.12
1" BSPP x 1"	NPT SN16-16	HN10K-SS	1 5/8"	2.31

# 10,000 Psi Fittings 316 SS



**NPT Male x JIC 37° Male  
Hexagon Barstock Nipples  
NJHN10K**

Thread Size	Part Number	HEX A/F	A Ins.
1/8" NPT x 7/16"-20 TPI	NJ2-4 HN10K-SS	1/2"	1.22
1/4" NPT x 7/16"-20 TPI	NJ4-4 HN10K-SS	5/8"	1.42
1/4" NPT x 1/2"-20 TPI	NJ4-5 HN10K-SS	5/8"	1.42
1/4" NPT x 9/16"-18 TPI	NJ4-6 HN10K-SS	5/8"	1.43
3/8" NPT x 7/16"-20 TPI	NJ6-4 HN10K-SS	3/4"	1.44
3/8" NPT x 9/16"-18 TPI	NJ6-6 HN10K-SS	3/4"	1.45
3/8" NPT x 3/4"-16 TPI	NJ6-8 HN10K-SS	13/16"	1.55
1/2" NPT x 9/16"-18 TPI	NJ8-6 HN10K-SS	7/8"	1.70
1/2" NPT x 3/4"-16 TPI	NJ8-8 HN10K-SS	7/8"	1.80
1/2" NPT x 7/8"-14 TPI	NJ8-10 HN10K-SS	15/16"	1.80
1/2" NPT x 1 1/16"-12 TPI	NJ8-12 HN10K-SS	1 1/8"	2.06
3/4" NPT x 3/4"-16 TPI	NJ12-8 HN10K-SS	1 1/8"	1.85
3/4" NPT x 7/8"-14 TPI	NJ12-10 HN10K-SS	1 1/8"	1.95
3/4" NPT x 1 1/16"-12 TPI	NJ12-12 HN10K-SS	1 1/8"	2.06
3/4" NPT x 1 5/16"-12 TPI	NJ12-16 HN10K-SS	1 3/8"	2.25
1" NPT x 1 1/16"-12 TPI	NJ16-12 HN10K-SS	1 3/8"	2.25
1" NPT x 1 5/16"-12 TPI	NJ16-16 HN10K-SS	1 3/8"	2.30




**JIC 37° Male x Male  
Hexagon Barstock  
Nipples  
JHN10K**

Thread Size	Part Number	HEX A/F	A Ins.
7/16"-20 TPI x 7/16"-20 TPI	J4-4 HN10K-SS	1/2"	1.37
1/2"-20 TPI x 1/2"-20 TPI	J5-5 HN10K-SS	9/16"	1.37
9/16"-18 TPI x 9/16"-18 TPI	J6-6 HN10K-SS	5/8"	1.41
3/4"-16 TPI x 3/4"-16 TPI	J8-8 HN10K-SS	13/16"	1.62
7/8"-14 TPI x 7/8"-14 TPI	J10-10 HN10K-SS	15/16"	1.88
1 1/16"-12 TPI x 1 1/16"-12 TPI	J12-12 HN10K-SS	1 1/8"	2.16
1 5/16"-12 TPI x 1 5/16"-12 TPI	J16-16 HN10K-SS	1 3/8"	2.25



**NPT Female x Female  
Hexagon Barstock Couplings  
HC10K**

Thread Size	Part Number	HEX A/F	A Ins.
1/8" x 1/8"	2-2 HC10K-SS	7/8"	0.88
1/4" x 1/8"	4-2 HC10K-SS	7/8"	1.04
1/4" x 1/4"	4-4 HC10K-SS	7/8"	1.13
3/8" x 1/8"	6-2 HC10K-SS	1 1/8"	1.10
3/8" x 1/4"	6-4 HC10K-SS	1 1/8"	1.38
3/8" x 3/8"	6-6 HC10K-SS	1 1/8"	1.50
1/2" x 1/8"	8-2 HC10K-SS	1 3/8"	1.40
1/2" x 1/4"	8-4 HCMK-SS	1 3/8"	1.50
1/2" x 3/8"	8-6 HC10K-SS	1 3/8"	1.56
1/2" x 1/2"	8-8 HC10K-SS	1 3/8"	1.88
3/4" x 1/4"	12-4 HC10K-SS	1 3/4"	1.68
3/4" x 3/8"	12-6 HC10K-SS	1 3/4"	1.88
3/4" x 1/2"	12-8 HC10K-SS	1 3/4"	1.93
3/4" x 3/4"	12-12 HC10K-SS	1 3/4"	2.25
1" x 1/4"	16-4 HC10K-SS	2 1/4"	1.94
1" x 3/8"	16-6 HC10K-SS	2 1/4"	1.94
1" x 1/2"	16-8 HC10K-SS	2 1/4"	2.13
1" x 3/4"	16-12 H10K-SS	2 1/4"	2.25
1" x 1"	16-16 HC10K-SS	2 1/4"	2.50



**NPT Female Barstock Cross  
FC10K**

Thread Size	Part Number	A Ins.	B Ins.	C Ins.
1/8"	2 FC10K-SS-BK	1.50	1.50	0.75
1/4"	4 FC10K-SS-BK	2.00	2.00	1.00
3/8"	6 FC10K-SS-BK	2.50	2.50	1.25
1/2"	8 FC10K-SS-BK	2.50	2.50	1.50

# 10,000 Psi Fittings 316 SS

Female Thread Size		Male Thread Size	Part Number	HEX A/F	A Ins.
1/8"	x	1/8"	2-2 FMA10K-SS	7/8"	1.11
1/8"	x	1/4"	2-4 FMA10K-SS	7/8"	1.29
1/8"	x	3/8"	2-6 FMA10K-SS	7/8"	1.29
1/8"	x	1/2"	2-8 FMA10K-SS	7/8"	1.42
1/4"	x	1/8"	4-2 FMA10K-SS	7/8"	1.33
1/4"	x	1/4"	4-4 FMA10K-SS	7/8"	1.51
1/4"	x	3/8"	4-6 FMA10K-SS	7/8"	1.51
1/4"	x	1/2"	4-8 FMA10K-SS	7/8"	1.70
1/4"	x	3/4"	4-12 FMA10K-SS	1 1/8"	1.70
1/4"	x	1"	4-16 FMA10K-SS	1 3/8"	1.89
3/8"	x	1/8"	6-2 FMA10K-SS	1 1/8"	1.39
3/8"	x	1/4"	6-4 FMA10K-SS	1 1/8"	1.57
3/8"	x	3/8"	6-6 FMA10K-SS	1 1/8"	1.57
3/8"	x	1/2"	6-8 FMA10K-SS	1 1/8"	1.76
3/8"	x	3/4"	6-12 FMA10K-SS	1 1/8"	1.76
3/8"	x	1"	6-16 FMA10K-SS	1 3/8"	1.95
1/2"	x	1/8"	8-2 FMA10K-SS	1 3/8"	1.70
1/2"	x	1/4"	8-4 FMA10K-SS	1 3/8"	1.88
1/2"	x	3/8"	8-6 FMA10K-SS	1 3/8"	1.88
1/2"	x	1/2"	8-8 FMA10K-SS	1 3/8"	2.07
1/2"	x	3/4"	8-12 FMA10K-SS	1 3/8"	2.07
1/2"	x	1"	8-16 FMA10K-SS	1 3/8"	2.26
3/4"	x	1/4"	12-4 FMA10K-SS	1 3/4"	2.06
3/4"	x	3/8"	12-6 FMA10K-SS	1 3/4"	2.06
3/4"	x	1/2"	12-8 FMA10K-SS	1 3/4"	2.25
3/4"	x	3/4"	12-12 FMA10K-SS	1 3/4"	2.25
3/4"	x	1"	12-16 FMA10K-SS	1 3/4"	2.44
1"	x	1/4"	16-4 FMA10K-SS	2 1/4"	2.31
1"	x	3/8"	16-6 FMA10K-SS	2 1/4"	2.31
1"	x	1/2"	16-8 FMA10K-SS	2 1/4"	2.50
1"	x	3/4"	16-12 FMA10K-SS	2 1/4"	2.50
1"	x	1"	16-16 FMA10K-SS	2 1/4"	2.69

Adaptor style may differ from that shown above.

Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.
1/8"	2 FT10K-SS-13K	1.50	1.12	0.75
1/4"	4 FT10K-SS-BK	2.00	1.50	1.00
3/8"	6 FT10K-SS-BK	2.50	1.95	1.25
1/2"	8 FT10K-SS-BK	2.50	2.00	1.50

Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.
1/8"	2 FT10K-SS-FG	1.80	0.90	0.87
1/4"	4 FT10K-SS-FG	2.00	1.00	1.06
3/8"	6 FT10K-SS-FG	2.20	1.10	1.30
1/2"	8 FT10K-SS-FG	2.50	1.25	1.61


Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.
1/8"	2 MT10K-SS-BK	1.38	0.69	0.63
1/4"	4 MT10K-SS-BK	1.88	0.94	0.75
3/8"	6 MT10K-SS-BK	1.94	0.97	0.75
1/2"	8 MT10K-SS-BK	2.62	1.31	1.00


Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.
1/8"	2 MT10K-SS-FG	1.92	0.96	0.55
1/4"	4 MT10K-SS-FG	2.28	1.14	0.55
3/8"	6 MT10K-SS-FG	2.56	1.28	0.75
1/2"	8 MT10K-SS-FG	2.94	1.47	0.87


Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.
1/8"	2 FE10K-SS-BK	1.12	1.12	0.75
1/4"	4 FE10K-SS-BK	1.50	1.50	1.00
3/8"	6 FE10K-SS-BK	1.95	1.95	1.25
1/2"	8 FE10K-SS-BK	2.00	2.00	1.50


Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.
1/8"	2 FE10K-SS-FG	0.90	0.90	0.87
1/4"	4 FE10K-SS-FG	1.00	1.00	1.06
3/8"	6 FE10K-SS-FG	1.10	1.10	1.30
1/2"	8 FE10K-SS-FG	1.25	1.25	1.61


# 10,000 Psi Fittings 316 SS


	<b>JIC Female Forged Elbows FFSE10K-FG</b>				
Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.	
7/16"-20 TPI x 7/16"-20 TPI	J4-4FFSE10K-SS-FG	1.33	0.93	0.55	
9/16"-18 TPI x 9/16"-18 TPI	J6-6FFSE10K-SS-FG	1.38	1.00	0.55	
3/4"-16 TPI x 3/4"-16 TPI	J8-8FFSE10K-SS-FG	1.64	1.20	0.75	


	<b>JIC Male x Male Forged Elbows JME10K-FG</b>				
Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.	
7/16"-20 TPI x 7/16"-20 TPI	J4-4ME10K-SS-FG	1.13	1.13	0.55	
9/16"-18 TPI x 9/16"-18 TPI	J6-6ME10K-SS-FG	1.15	1.15	0.55	
3/4"-16 TPI x 3/4"-16 TPI	J8-8ME10K-SS-FG	1.42	1.42	0.87	


	<b>NPT Male Barstock Elbows ME10K-BK</b>				
Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.	
1/8"	2 ME10K-SS-BK	0.69	0.69	0.63	
1/4"	4 ME10K-SS-BK	0.94	0.94	0.75	
3/8"	6 ME10K-SS-BK	0.97	0.97	0.75	
1/2"	8 ME10K-SS-BK	1.31	1.31	1.00	

	<b>NPT Male x JIC Female Swivel Hexagon Barstock Adaptor NJMFS10K</b>				
Thread Size	Part Number	A Ins.	B Ins.	HEX A/F	
1/4" NPT x 7/16"-20 TPI	NJ4-4 MFS10K-SS	1.66	1.26	5/8"	
3/8" NPT x 9/16"-18 TPI	NJ6-6 MFS10K-SS	1.71	1.33	3/4"	
1/2" NPT x 3/4"-16 TPI	NJ8-8 MFS10K-SS	2.08	1.64	7/8"	

	<b>NPT Male Forged Elbows ME10K-FG</b>				
Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.	
1/8"	2 ME10K-SS-FG	0.96	0.96	0.55	
1/4"	4 ME10K-SS-FG	1.14	1.14	0.55	
3/8"	6 ME10K-SS-FG	1.28	1.28	0.75	
1/2"	8 ME10K-SS-FG	1.51	1.51	0.87	

	<b>JIC Female x JIC Female Swivel Hexagon Barstock Adaptor JFFS10K</b>				
Thread Size	Part Number	A Ins.	B Ins.	HEX A/F	
7/16"-20 TPI x 7/16"-20 TPI	J4-4 FFS 10K-SS	1.85	1.05	9/16"	
9/16"-18 TPI x 9/16"-18 TPI	J6-6 FFS 10K-SS	1.95	1.19	5/8"	
3/4"-16 TPI x 3/4"-16 TPI	J8-8 FFS 10K-SS	2.19	1.31	3/4"	

	<b>NPT Male x JIC Male Forged Elbows NJME10K-FG</b>				
Thread Size	Part Number	A Ins.	B Ins.	C A/F Ins.	
1/8 x 7/16"-20 TPI	NJ2-4ME10K-SS-FG	1.13	0.96	0.55	
1/4" x 7/16"-20 TPI	NJ4-4ME10K-SS-FG	1.13	1.14	0.55	
3/8" x 7/16"-20 TPI	NJ6-4ME10K-SS-FG	1.27	1.28	0.75	
3/8" x 9/16"-18 TPI	NJ6-6ME10K-SS-FG	1.28	1.28	0.75	
3/8" x 3/4"-16 TPI	NJ6-8ME10K-SS-FG	1.42	1.40	0.87	
1/2" x 9/16"-18 TPI	NJ8-6ME10K-SS-FG	1.40	1.59	0.87	
1/2" x 3/4"-16 TPI	NJ8-8ME10K-SS-FG	1.42	1.59	0.87	

	<b>JIC Male x JIC Female Swivel Hexagon Barstock Adaptor JMFS10K</b>				
Thread Size	Part Number	A Ins.	B Ins.	HEX A/F	
7/16"-20 TPI x 7/16"-20 TPI	J4-4 MFS10K-SS	1.63	1.23	9/16"	
9/16"-18 TPI x 9/16"-18 TPI	J6-6 MFS10K-SS	1.69	1.31	5/8"	
3/4"-16 TPI x 3/4"-16 TPI	J8-8 MFS10K-SS	1.95	1.47	13/16"	

# 10,000 Psi Fittings 316 SS



**NPT Male  
Hexagon Barstock Plug  
HP10K**

Thread Size	Part Number	HEX A/F	A Ins.
1/8"	2HP10K-SS	1/2"	0.56
1/4"	4HP10K-SS	5/8"	0.84
3/8"	6HP10K-SS	3/4"	0.84
1/2"	8HP10K-SS	7/8"	1.09
3/4"	12HP10K-SS	1 1/8"	1.17
1"	16HP10K-SS	1 3/8"	1.36



**BSPP Male  
Hexagon Barstock Plug  
BHP10K**

Thread Size	Part Number	HEX A/F	A Ins.
1/8"	B2HP10K-SS	5/8"	0.73
1/4"	B4HP10K-SS	3/4"	0.79
3/8"	B6HP10K-SS	7/8"	0.86
1/2"	B8HP10K-SS	1 1/16"	0.99
3/4"	B12HP10K-SS	1 1/4"	1.16
1"	B16HP10K-SS	1 5/8"	1.37



**JIC Male  
Hexagon Barstock Plug  
JHP10K**

Thread Size	Part Number	HEX A/F	A Ins.
7/16"-20 TPI	J4HP10K-SS	1/2"	0.86
1/2"-20 TPI	J5HP10K-SS	9/16"	0.86
9/16"-18 TPI	J6HP10K-SS	5/8"	0.87
3/4"-16 TPI	J8HP10K-SS	1 3/16"	0.97
7/8"-14 TPI	J10HP10K-SS	1 5/16"	1.13
1 1/16"-12 TPI	J12HP10K-SS	1 1/8"	1.31
1 5/16"-12 TPI	J16HP10K-SS	1 3/8"	1.36



**NPT Female  
Hexagon Barstock Pipe Cap  
PC10K**

Thread Size	Part Number	HEX A/F	A Ins.
1/8"	2PC10K-SS	7/8"	0.85
1/4"	4PC10K-SS	7/8"	0.94
3/8"	6PC10K-SS	1 1/8"	1.04
1/2"	8PC10K-SS	1 3/8"	1.38
3/4"	12PC10K-SS	1 3/4"	1.50
1"	16PC10K-SS	2 1/4"	1.85



**JIC Female Swivel  
Hexagon Barstock Cap  
JPC10K**

Thread Size	Part Number	HEX A/F	A Ins.
7/16"-20 TPI	J4PC10K-SS	5/8"	0.79
1/2"-20 TPI	J5PC10K-SS	11/16"	0.85
9/16"-18 TPI	J6PC10K-SS	3/4"	0.95
3/4"-16 TPI	J8PC10K-SS	15/16"	1.12
7/8"-14 TPI	J10PC10K-SS	1 1/8"	1.48
1 1/16"-12 TPI	J12PC10K-SS	1 1/4"	1.67
1 5/16"-12 TPI	J16PC10K-SS	1 5/8"	1.90



**BSPP Female Swivel  
Hexagon Barstock Cap  
BPC10K**

Thread Size	Part Number	HEX A/F	A Ins.
1/8"	B2PC10K-SS	9/16"	0.61
1/4"	B4PC10K-SS	7/8"	0.71
3/8"	B6PC10K-SS	1 1/16"	0.75
1/2"	B8PC10K-SS	1.20"	0.76
3/4"	B12PC10K-SS	1 3/8"	1.06
1"	B16PC10K-SS	1 5/8"	1.12



**BSPP Female Swivel  
BFST10K**

**Material:** 316 S11 Stainless Steel

Thread Size	Part Number
1/4"	B4FST10K-SS-FG
3/8"	B6FST10K-SS-FG
1/2"	B8FST10K-SS-FG
5/8"	B10FST10K-SS-FG
3/4"	B12FST10K-SS-FG
1"	B16FST10K-SS-FG

Other types on request  
15,000 PSI and 20,000 PSI on request.  
Some parts in stock.